



A BROAD STUDY ON OLIGOMENORRHEIC STATUS OF SCHOOL LEVEL SPORTS PERSON

Varuni Negi, Research Scholar, Shri Venkateshwara University, Gajraula, UP
Dr Parmod Kumar Sethi (Assistant Professor, PGDAV College (E), University of Delhi)

DECLARATION: I AS AN AUTHOR OF THIS PAPER / ARTICLE, HEREBY DECLARE THAT THE PAPER SUBMITTED BY ME FOR PUBLICATION IN THE JOURNAL IS COMPLETELY MY OWN GENUINE PAPER. IF ANY ISSUE REGARDING COPYRIGHT/PATENT/ OTHER REAL AUTHOR ARISES, THE PUBLISHER WILL NOT BE LEGALLY RESPONSIBLE. IF ANY OF SUCH MATTERS OCCUR PUBLISHER MAY REMOVE MY CONTENT FROM THE JOURNAL WEBSITE. FOR THE REASON OF CONTENT AMENDMENT/ OR ANY TECHNICAL ISSUE WITH NO VISIBILITY ON WEBSITE/UPDATES, I HAVE RESUBMITTED THIS PAPER FOR THE PUBLICATION. FOR ANY PUBLICATION MATTERS OR ANY INFORMATION INTENTIONALLY HIDDEN BY ME OR OTHERWISE, I SHALL BE LEGALLY RESPONSIBLE. (COMPLETE DECLARATION OF THE AUTHOR AT THE LAST PAGE OF THIS PAPER/ARTICLE)

Abstract

The objective of the study was to conduct a broad survey on the trend and prevalence of selected menstrual disorders among sportsperson at school level in Delhi. It was hypothesized that there is an association between selected menstrual disorder and age of the sportsperson at school level. Besides, it was also hypothesized that all the selected menstrual conditions are not equally distributed among sportsperson at school level. Total 1820 girl students from various Government Schools in Delhi were selected on simple random basis to collect data. The ages of selected girls were in the range of 11 to 18 years [14.01 ± 2.102]. The study was delimited to selected menstrual disorder i.e. Oligomenorrhea. In order to assess the association between age of subjects and their responses on selected menstrual disorder, following variables were selected - Age Group and Menstrual Disorder. In order to assess equal distribution of responses, following variables were selected - Menstrual Disorders i.e. Oligomenorrhea. A self-designed questionnaire was applied to collect data. In order to assess association between variables and equal distribution of responses, Chi-square statistical test was applied by using SPSS (version 16) software. The obtained result proved that there is an association between age and Oligomenorrhic menstrual disorders among sportsperson at school level [$\chi^2 = 37.974$]. Furthermore, it was concluded that the selected menstrual conditions i.e. Regular and Painful menstruation, Regular and Non-Painful menstruation, Irregular and Painful menstruation, and Irregular and Non-painful menstruation are not equally distributed among sportsperson at school level.

Keywords: *Oligomenorrhea*

Introduction



Adolescence is the time of change among pubescence and adulthood. Menarche is one of the markers of adolescence and along these lines can be considered as a significant occasion in the existence of young adult young ladies. Studies proposed that menarche will in general show up prior in life as the sterile, healthful, and monetary states of a general public improve. For most females, it happens between the age of 10 and 16 years; notwithstanding, it shows an exceptional scope of variety. The ordinary reach for ovulatory cycles is somewhere in the range of 21 and 35 days. While most periods last from 3 to 5 days, term of feminine stream ordinarily goes from 2 to 7 days. For the initial not many years after menarche, sporadic and longer cycles are common. Menstruation is a natural wonder weighed down with social ramifications. People don't encounter the body in a socio-social vacuum. Thusly, ladies' translations of the physiological and hormonal changes related with period can't be perceived outside of the social and recorded setting wherein they live, which is impacted by the importance credited to these feminine changes by westernized clinical talks (Ussher, 2006). Since forever, monthly cycle plays been allotted parts that went from characterizing a lady's status and social job to being viewed as a revile that all ladies needed to suffer (Anjum, Zehra, Haider, Rani, Siddique and Munir, 2010). It is this situating of the female conceptive body as lacking and waiting be controlled, and of monthly cycle as a site of frenzy and weakness, which give the structure to ladies to decipher changes related with period as obsessive indications (Ussher, 2006). For quite a long time, both medication and religion have systematically cheapened the jobs allocated to females and avoided ladies from power in the public eye through man centric convictions about the female conceptive body (Cahill, 2001). This is as yet clear in many societies and religions today (Tiwari, Oza and Tiwari, 2006; Umeora and Egwuatu, 2008). The utilization of such dated sources presents an issue, as



the outcomes may not be demonstrative of the current mentalities and convictions of Indian ladies. However, these need to be studied with utmost importance. Researcher was intended to study the role and prevalence of selected menstrual disorder among young girls studying in Delhi schools. The purpose of the study was to conduct **“A Broad Survey on Oligomenorrhic Status of School Level sports person”**. Following objectives of the research were stated by scholar: To assess the Oligomenorrhic status of sportsperson at school level, To assess the Oligomenorrhic status of sportsperson at school level at different age level, To assess the association between selected menstrual disorder and age of sportsperson at school level, To assess the prevalence of selected menstrual disorder among sportsperson at school level, To assess the prevalence of selected menstrual disorder among sportsperson at school level at different age, To observe whether there is equal occurrence of cases under different menstrual conditions among sportsperson at school level, and To observe whether there is equal occurrence of cases under different menstrual conditions among sportsperson at school level of different ages.

The study was confined to 1819 sportsperson at school level randomly from different school. The study was further confined to schools in Delhi. The study was further confined to the girl students of age group of 11 to 18 years. The number of subject in this age category was considered as a limitation of the study. Since the data collected was subjective in nature, the reliability of the responses was considered one of the limitations of the study. Psychological state of the subjects may effects the result of the study and this was considered as the limitation of study.

The result of the study will help the health experts to better understand the concept and trend of mensuration among sportsperson at school level. It may further help health experts to make



better health policies for sportsperson at school level. The result would also help health professionals to understand the current status of menstrual disorders among sportsperson at school level. The study would help to reveal the association between age and Oligomenorrhic disorders sportsperson at school level. The finding will fill up to the existing knowledge in the concerned area.

PROCEDURE AND METHODOLOGY

Subjects

For the purpose of survey, total 1820 sportsperson from various Government Schools in Delhi were selected to collect data. The ages of selected girls were in the range of 11 to 18 years.

Variables

The study is delimited to selected menstrual disorder i.e. Oligomenorrhea among sportsperson at school level in the age range between 11 to 18 years. After reviewing the literature, consultation with the experts and researcher's own understanding the following variables were selected for purpose of this study:

1. In order to assess the association between selected menstrual disorder, following variables were selected-
 - Oligomenorrhea
2. In order to assess the association between age of subjects and their responses on selected menstrual disorder, following variables were selected-
 - Age Group



- Menstrual Disorder

3. In order to assess equal distribution of responses, following variables were selected-

- Menstrual Disorder

Sampling procedure

Simple random sampling was used to collect data from sportsperson of various government schools in Delhi. Simple random sample means that each unit in the population has the same inclusion probability and all the units are independent. Students were accessed through the acquiring permission and support from competent authority of the schools.

Design of the research

The research design used in this study was a cross-sectional survey design. A cross-sectional survey collects data to make inferences about a population of interest. This design allowed for the collection of data regarding the samples experience of menstruation. The use of a self-designed questionnaire which included only three questions was best suited for this study as it allowed collecting huge data. In order to maintain confidentiality of responses of subjects, no personal information was asked.

Tools and Techniques Used

In order to fulfil the objectives of the research, a self-designed questionnaire was applied to collect data. The questionnaire contained following questions which are as follows:



Question 1 – Are you having painful menstruation or non-painful menstruation?

Question 2 – Are you having regular menstruation or irregular menstruation?

Question 3 – What is your age?

Question 4 – Do you play organised/competitive sport?

The first question reveals the Dysmenorrheic (painful menstruation) status of the subjects whereas, the second question revealed the Oligomenorrheic (infrequent menstruation) status of the subjects. The age of the subjects was asked to assess its association with menstrual disorder i.e. Oligomenorrhea was selected for the research. The format of questionnaire and data collection method is placed at Annexure A

Data Collection

The researcher accessed students as outlined in the sampling procedure section. The aims of the study were explained to each participant. Earlier, permission to conduct the proposed study was obtained from the competent authority. The participants were informed that participation in the study was completely voluntary and they were allowed to not to answer any or all questions. Each participant was asked the four questions contained in questionnaire. The researcher was available to answer any questions that the participants may have had or to help in answering the questions if assistance was needed. However, participants seemed to have no difficulty with the content of the questionnaire.

Statistical Technique



The data was collected from sportsperson of Delhi government schools and used for the statistical treatment that specifies descriptive statistics. Various information has shown in graphical format such as Bar graph, Line graph, Pie Chart etc. when and wherever required. In order to assess association between variables and equal distribution of responses, Chi-square statistical test was applied by using SPSS (version 16) software. In all the cases 0.05 level of significance was fixed to test the hypothesis.

RESULTS AND DISCUSSIONS

In order to make a better understanding on the topic, the selected variables i.e. age of the subjects and Oligomenorrhea were not only surveyed on a large scale. Besides, there were many appropriate statistical techniques applied and many objectives were fulfilled. The objectives of the research were as follows: To assess the Oligomenorrheic status of sportsperson at school level, To assess the Oligomenorrheic status of sportsperson at school level at different age level, To assess the association between selected menstrual disorder and age of sportsperson at school level, To assess the prevalence of selected menstrual disorder among sportsperson at school level and To assess the prevalence of selected menstrual disorder among sportsperson at school level at different age.

The study was not only confined to assess the association of variables or equal occurrence of variables. But, the association and occurrence of variables were also studied in respect of the age of subjects. The minimum age of the students was 11 years and maximum age for the same was 20 years. Mean and standard deviation value for their age was 14.01 ± 2.102 .

Table 5.1
Age wise list of all students with their weightage (in percent)

AGE	NO. OF STUDENTS	PERCENT
-----	-----------------	---------

11 YEARS	138	7.58
12 YEARS	236	12.96
13 YEARS	234	12.86
14 YEARS	281	15.44
15 YEARS	257	14.12
16 YEARS	282	15.49
17 YEARS	289	15.88
18 YEARS	100	5.49

It was found that there were 138 sportspersons were in 11 years of age. In 12 years of age, there were 236 sportspersons who responded to questionnaire. 234 sportspersons were belonging to 13 years of age. There were 281 sportspersons from 14 years of age. 257 sportspersons from 15 years of age. 282 sportspersons from 16 years category. 289 sportspersons from 17 years of age. 100 sportspersons from 18 years of age.

Table 5.2
Oligomenorrhic status of sportsperson at school level

		OLIGOMENORRHEIC	
		REGULAR MENSTRUATION	IRREGULAR MENSTRUATION
11 YEARS	Count	75	63
	Expected Count	90.7	47.3
12 YEARS	Count	139	97
	Expected Count	155.1	80.9
13 YEARS	Count	135	99
	Expected Count	153.8	80.2
14 YEARS	Count	187	94
	Expected Count	184.7	96.3
15 YEARS	Count	175	82
	Expected Count	168.9	88.1



16 YEARS	Count	217	65
	Expected Count	185.3	96.7
17 YEARS	Count	198	91
	Expected Count	189.9	99.1
18 YEARS	Count	68	32
	Expected Count	65.7	34.3

Out of total 138, 75 were found to have regular menstruation whereas 63 were found to have irregular menstruation. However, the expected count for regular menstruation and irregular menstruation was 90.7 and 47.3 respectively. Out of total 236, 139 were found to have regular menstruation whereas 97 were found to have irregular menstruation. However, the expected count for regular menstruation and irregular menstruation was 155.1 and 80.9 respectively. Out of total 234, 135 were found to have regular menstruation whereas 99 were found to have irregular menstruation. The expected count for regular menstruation and irregular menstruation was 153.8 and 80.2 respectively. Out of total 281, 187 were found to have regular menstruation whereas 94 were found to have irregular menstruation. However, the expected count for regular menstruation and irregular menstruation was 184.7 and 96.3 respectively. Out of total 257, 175 were found to have regular menstruation whereas 82 were found to have irregular menstruation. However, the expected count for regular menstruation and irregular menstruation was 168.9 and 88.1 respectively. Out of total 282, 217 were found to have regular menstruation whereas 65 were found to have irregular menstruation. The expected count for regular menstruation and irregular menstruation was 185.3 and 96.7 respectively. Out of total 289, 217 were found to have regular menstruation whereas 65 were found to have irregular menstruation. However, the expected count for regular menstruation and irregular menstruation was 185.3 and 96.7 respectively. Out of total 100, 68 were found



to have regular menstruation whereas 32 were found to have irregular menstruation. The expected count for regular menstruation and irregular menstruation was 65.7 and 34.3 respectively.

Table 5.3
Chi-square test for Oligomenorrhic and Dysmenorrhic status of sportsperson at school level

	Chi-square	df	Asymp. Sig. (2-sided)
Oligomenorrhic	37.974 ^a	9	.000

Chi-square (χ^2) calculation for association between age and oligomenorrhic status of sportsperson at school level. The value of Chi-square (χ^2) was found to be 37.974, which is significant at 0.05 level of significance as the p-value is 0.00. Thus, we rejected the null hypothesis drawn a statement as “There is no association between age and oligomenorrhic status of sportsperson at school level. It may be concluded that there is a significant association between age of sportsperson at school level and their oligomenorrhic status on the issue of different age level of sportsperson at school level their menstruation status in term of Oligomenorrhic.

Table 5.4
Menstrual Trend among Sports Person at school level

	Observed N	Expected N	Residual
REGULAR MENSTRUATION	1196	910.0	286.0
IRREGULAR MENSTRUATION	624	910.0	-286.0

The selected subjected also manifested the menstrual trend among sports girls at school level in following manner: 1) it was observed that most of the sports girls are having regular menstruation 2) whereas the prevalence of painful menstruation among school girls who were



participating in sports were more. The significant p-value i.e. less than 0.05 level of significant for Oligomenorrhea also ensured the reliability of obtained result.

Table 5.5
Chi-square test for menstrual trend

	Oligomenorrhea
Chi-Square	1.798E2 ^a
Df	1
Asymp. Sig.	.000

CONCLUSIONS AND RECOMMENDATIONS

On the basis of objectives of the study and result obtained after statistical application, the following conclusions were drawn: It was also observed that the selected menstrual problems are not equally distributed among sports girls at school level. Where most of the girls were having regular menstruation, they also found to have painful menstruation. On the basis of obtained results, it could also conclude that there is no association between age of the subjects and Oligomenorrhic status of the subjects. Above mentioned conclusions and finding has revealed many facts and filled the gap in information available regarding relationship of various menstrual disorder and age of sportsperson at school level in Delhi. Now, following recommendations are made with future research perspective: It was also recommended that same sportsperson at school level need special attention for their dysmenorrhic status. Similar study can be taken on females at college level and onward by same method. Similar study can also be taken on other menstrual disorders that are left in this study. A study can be conducted on association of menstrual disorders and lifestyle factor of females. Further study can be conducted on association of various menstrual disorder and



nutritional status of sportsperson at school level. Similarly, a study can also be conducted on association of various menstrual disorder and nutritional status of girls of other age group.

BIBLIOGRAPHY

- A.P.A. (2000). Diagnostic and statistical manual of mental disorders, Edition IV. Washington DC: American Psychiatric Association.
- Aflaq, F., & Jami, H. (2012). Experiences and attitudes related to menstruation among female students. *Pakistan Journal of Psychological Research*, 27(2), 201-224. Retrieved from <http://www.pjprnip.edu.pk/pjpr/index.php/pjpr/article/viewFile/195/171>
- Aguinis, H., & Henle, C.A. (2004). Ethics in research. In S.G. Rogelberg (Ed.), *Handbook of research methods in Industrial and Organizational psychology* (pp. 34-56). USA: Blackwell
- Allison, C.M., & Hyde, J.S. (2013). Early menarche: Confluence of biological and contextual factors. *Sex Roles*, 68, 55-64. doi:10.1007/s11199-011-9993-5
- Anjum, F., Zehra, N., Haider, G., Rani, S., Siddique, A.A., & Munir, A.A. (2010). Attitudes towards menstruation among young women. *Pakistan Journal of Medical Sciences*, 26(3), 619-622. Retrieved from <http://web.ebscohost.com.ezproxy.uwc.ac.za/ehost/pdfviewer/pdfviewer?sid=7fe769f5-4b8e-4d29-bb07-dab6d1dc62df%40sessionmgr4002&vid=5&hid=4212>
- Annandale, E. (1998). *The Sociology of Health and Medicine: A Critical Introduction*. Cambridge: Polity Press.
- Arvio, M., & Sillanpää, M. (2003). Prevalence, aetiology and comorbidity of severe and profound intellectual disability in Finland. *Journal of Intellectual Disability Research*, 47(2), 108-112. doi: 10.1046/j.1365-2788.2003.00447.x ii
- Augustine, C. S. (2002). *The social construction of the South African male identity* (Doctoral dissertation, Rand Afrikaans University). Retrieved from <http://hdl.handle.net/10210/1405>
- Babbie, E., & Mouton, J. (2009). *The practice of social research*. Cape Town: Wadsworth.
- Berger, V.W., & Zhang, J. (2005). Simple Random Sampling. *Encyclopedia of Statistics in Behavioral Science*. doi:10.1002/0470013192
- Bhattacharjee, S., Ray, K., Biswas, R., & Chakraborty, M. (2013). Menstruation: Experiences of adolescent slum dwelling girls of Siliguri City, West Bengal, India. *Journal of Basic and Clinical Reproductive Sciences*, 2(2), 85-91. doi:10.4103/2278-960X.118646



- Brookes, I., Munro, M., O'Donoghue, E., O'Neill, M., & Thomson, M. (Eds.) (2004). *Chambers Concise Dictionary*. USA: Chambers Harrap Publishers Ltd.
- Buckley, T., & Gottlieb, A. (1988). *A critical appraisal of theories of menstrual symbolism. Blood magic: The anthropology of menstruation*. USA: University of California Press.
- Burrows, A., & Johnson, S. (2005). Girls' experiences of menarche and menstruation. *Journal of Reproductive & Infant Psychology*, 23(3), 235-249. doi:10.1080/02646830500165846
- Cahill, H.A. (2001). Male appropriation and medicalization of childbirth: An historical analysis. *Journal of advanced nursing*, 33(3), 334-342. doi:10.1046/j.1365- 2648.2001.01669.x
- Cavanaugh, J.C., & Blanchard-Fields, F. (2011). *Adult development and aging* (6th ed.). USA: Wadsworth.
- Çevirme, A.S., Çevirme, H., Karaoglu, L., Ugurlu, N., & Korkmaz, Y. (2010). The perception of menarche and menstruation among Turkish married women: Attitudes, experiences, and behaviors. *Social Behavior & Personality: An International Journal*, 38(3), 381-393. doi: 10.2224/sbp.2010.38.3.381
- Chadwick, R. (2006). Pathological wombs and raging hormones: Psychology, reproduction and the female body. In T. Shefer, F. Boonzaier and P. Kiguwa (Eds.), *The gender of psychology* (pp. 223-248). SA: UCT Press.
- Chang, Y., Chen, Y., Hayter, M., & Lin, M. (2009). Menstrual and menarche experience among pubescent female students in Taiwan: Implications for health education and promotion practice. *Journal of Clinical Nursing*, 18(14), 2040-2048. doi:10.1111/j.1365-2702.2008.02545.x
- Chou, Y.C., Lu, Z.Y.J., Wang, F.T.Y., Lan, C.F., & Lin, L.C. (2008). Meanings and experiences of menstruation: Perceptions of institutionalised women with an intellectual disability. *Journal of Applied Research in Intellectual Disabilities*, 21, 575-584. doi:10.1111/j.1468-3148.2008.00430.x
- Chrisler, J.C. (2008). Chapter 13: The menstrual cycle in a biopsychosocial context. In F.L. Denmark & M. Paludi (Eds.), *Psychology of women: Handbook of issues and theories* (2nd ed) (pp. 400-439). UK: Praeger.
- Chrisler, J.C. (2013). Teaching taboo topics: Menstruation, menopause and the psychology of women. *Psychology of Women Quarterly*, 37(1), 128-132. doi:10.1177/0361684312471326

- Chrisler, J.C., & Caplan, P. (2002). The strange case of Dr. Jekyll and Ms. Hyde: How PMS became a cultural phenomenon and a psychiatric disorder. *Annual Review of Sex Research*, 13, 274–306. doi:10.1080/10532528.2002.10559807
- Cindoglu, D., & Sayan-Cengiz, F. (2010). Medicalization discourse and modernity: Contested meanings over childbirth in contemporary Turkey. *Health Care for Women International*, 31(3), 221-243. doi:10.1080/07399330903042831
- Conrad, P. (1992). Medicalization and social control. *Annual Review of Sociology*, 18, 209- 232. Retrieved from http://66.199.228.237/boundary/addiction/medicalization_and_social_control.pdf
- Cooper, S.C., & Koch, P.B. (2007). “Nobody told me nothing”: Communication about menstruation among low-income African American women. *Women & Health*, 46(1), 57-78. doi:10.1300/J013v46n01_05
- Cronje, H.S., & Kritzinger, I.E. (1991). Menstruation: Symptoms, management and attitudes in university students. *International Journal of Gynecology and Obstetrics*, 35, 147-150. doi:10.1016/0020-7292/91/90818-P
- David, Q. , PhD, Lisa, F., MS, Gei-Nam L., William, K., MS & Robert, M., PhD (2016) The Menstrual Cycle: Does It Affect Athletic Performance? Pages 121-124 | Published online: 12 May 2016
- Del Saz-Rubio, M. M., & Pennock-Speck, B. (2009). Constructing female identities through feminine hygiene TV commercials. *Journal of Pragmatics*, 41(12), 2535-2556. doi:10.1016/j.pragma.2009.04.005
- Demirbag, B.C., & Güngörmüs, Z. (2011). An investigation into the knowledge about the menstruation period among the female university students at Eastern Black Sea region of Turkey. *HealthMED*, 5(6), 1643-1646. Retrieved from <http://www.healthmed.ba/articles.htm>
- Drasgow, F. (1984). Scrutinizing psychological tests: Measurement equivalence and equivalent relations with external variables are the central issues. *Psychological Bulletin*, 95, 134-135. doi:10.1037/0033-2909.95.1.134
- du Toit, B.M. (1988). Menstruation: Attitudes and experience of Indian South Africans. *Ethnology*, 27(4), 391-406. Retrieved from <http://www.jstor.org/stable/3773400>



- Dunnavant, N.C., & Roberts, T.A. (2013). Restriction and renewal, pollution and power, constraint and community: The paradoxes of religious women's experience of menstruation. *Sex Role*, 68, 121-131. doi:10.1007/s11199-012-0132-8
- Ellen A., Dawson & Thomas, R. (2008) Menstrual cycle, exercise and health, Pages 99-119 | Received 19 Dec 2007, Accepted 29 Jan 2008, Published online: 11 Dec 2008
- Fearon, J. (2003). Ethnic and cultural diversity by country. *Journal of Economic Growth*, 8, 195–222. doi:10.1023/A:1024419522867
- Field, A. (2005). *Discovering statistics using SPSS* (2nd ed.). USA: SAGE.
- Field, A. (2013). *Discovering statistics using IBM SPSS statistics* (4th ed.) USA: SAGE
- Firat, M.Z., Kulakaç, Ö., Öncel, S., & Akcan, A. (2009). Menstrual attitude questionnaire: confirmatory and exploratory factor analysis with Turkish samples. *Journal of Advanced Nursing*, 65(3), 652-662. doi:10.1111/j.1365-2648.2008.04919.x
- Foucault, M. (1980). Two lectures. In M. Foucault (Ed.), *Power/Knowledge: Selected interviews and other writings, 1972-1977* (pp. 88-108). NY: Pantheon Books.
- Gergen, K. J. (1999). *An invitation to social construction*. USA: Sage Publications Limited.
- Glueck, C. J., Morrison, J. A., Wang, P., & Woo, J. G. (2013). Early and late menarche are associated with oligomenorrhea and predict metabolic syndrome 26 years later. *Metabolism*. doi:10.1016/j.metabol.2013.07.005
- Hair, J.F., Black, W.C., Babin, B.J., & Anderson, R.E. (2010). *Multivariate data analysis: A global perspective*. USA: Pearson Education.
- Johnston-Robledo, I., & Chrisler, J.C. (2013). The menstrual mark: Menstruation as a social stigma. *Sex Roles*, 68, 9-18. doi:10.1007/s11199-011-0052-z
- Johnston-Robledo, I., Sheffield, K., Voigt, J., & Wilcox-Constantine, J. (2007). Reproductive shame: Self-objectification and young women's attitudes toward their reproductive functioning. *Women & Health*, 46(1), 25-39. doi:10.1300/J013v46n01_03
- Kishali, N. F., Osman, İ., Dursun, K., Tulin, A. & Pelin A. (2005). Effects Of Menstrual Cycle On Sports Performance, Pages 1549-1563 | Received 24 Mar 2005, Published online: 07 Jul 2009
- Koff, E., & Rierdan, J. (1995). Early adolescent girls' understanding of menstruation. *Women & Health*, 22(4), 1-19. doi: 10.1300/J013v22n04_01



- Koff, E., Rierdan, J., & Sheingold, K. (1982). Memories of menarche: Age, preparation, and prior knowledge as determinants of initial menstrual experience. *Journal of Youth and Adolescence*, 11, 1-9. doi: 10.1007/BF01537812
- Kumar, G.M., & Kundan, M. (2011). Psycho-social behaviour of urban Indian adolescent girls during menstruation. *Australasian Medical Journal*, 4(1), 49-52. doi:10.4066/AMJ.2011.534
- Lavrakas, P.J. (2013). *Encyclopedia of survey research methods: Cross-sectional survey design*. SAGE Research methods. USA:SAGE
- Liu, H., Chen, K., & Peng, N. (2012). Cultural practices relating to menarche and menstruation among adolescent girls in Taiwan - qualitative investigation. *Journal of Pediatric and Adolescent Gynecology*, 25(1), 43-47. doi: 10.1016/j.jpag.2011.08.006
- Marván, M.L., & Molina-Abolnik, M. (2012). Mexican adolescents' experience of menarche and attitudes toward menstruation: Role of communication between mothers and daughters. *Journal of Pediatric and Adolescent Gynecology*, 25(6), 358-363. doi: 10.1016/j.jpag.2012.05.003
- Marván, M.L., & Trujillo, P. (2010). Menstrual socialization, beliefs, and attitudes concerning menstruation in rural and urban Mexican women. *Health Care for Women International*, 31, 53-67. doi:10.1080/07399330902833362
- Marván, M.L., Cortés-Iniestra, S., & González, R. (2005). Beliefs about and attitudes toward menstruation among young and middle-aged Mexicans. *Sex Roles*, 53(3), 273-279. doi: 10.1007/s11199-005-5685-3
- Marván, M.L., Ramírez-Esparza, D., Cortés-Iniestra, S., & Chrisler, J.C. (2006). Development of a new scale to measure beliefs about and attitudes toward menstruation (BATM): Data from Mexico and the United States. *Health Care for Women International*, 27(5), 453-473. doi: 10.1080/07399330600629658
- Morrison, L.A., Larkspur, L., Calibuso, M.J., & Brown, S. (2010). Women's attitudes about menstruation and associated health and behavioral characteristics. *American Journal of Health Behavior*, 34(1), 90-100. doi:10.5993/AJHB.34.1.11
- Northrup, C. (2010). *Women's bodies, women's wisdom: Creating physical and emotional health and healing*. USA: Hay House Inc.
- Orringer, K., & Gahagan, S. (2010). Adolescent girls define menstruation: A multiethnic exploratory study. *Health Care for Women International*, 31, 831-847. doi:10.1080/07399331003653782



Pages 29-40 | Published online: 09 Aug 2010

- Patil, R., Agarwal, L., Khan, M.I., Gupta, S.K., Vedapriya, D.R., Raghavia, M., & Mittal, A. (2011). Beliefs about menstruation: A study from rural Pondicherry. *Indian Journal of Medical Specialities*, 2(1), 23-26. doi:10.7713/ijms.2011.0006
- Pretorius, T.B. (2007). *Inferential data analysis: Hypothesis testing and decision-making*. S.A: Reach Publishers.
- Rembeck, G., Möller, M., & Gunnarsson, R. (2006). Attitudes and feelings towards menstruation and womanhood in girls at menarche. *Acta Paediatrica*, 95(6), 707-714. doi: 10.1080/08035250500531697
- Ritter, L., & Lampkin, S. (2012). Community mental health. Retrieved from <http://books.google.co.za/books?id=5WzEHbPDjKgC&printsec=frontcover&dq=Community+Mental+Health&hl=en&sa=X&ei=hQorUZLV0Oet0QWLRIDwCw&ved=0CDcQ6AEwAQ#v=onepage&q=Community%20Mental%20Health&f=false>
- Roberts, T. (2004). Female trouble: The menstrual self-evaluation scale and women's self-objectification. *Psychology of Women Quarterly*, 28(1), 22-26. doi: 10.1111/j.1471-6402.2004.00119.x
- Rose, J.G., Chrisler, J.C., & Couture, S. (2008). Young women's attitudes toward continuous use of oral contraceptives: The effect of priming positive attitudes toward menstruation on women's willingness to suppress menstruation. *Health Care for Women International*, 29(7), 688-701. doi:10.1080/07399330802188925
- Shanbhag, D., Shilpa, R., D'Souza, N., Josephine, P., Singh, J., & Goud, B.R. (2012). Perceptions regarding menstruation and practices during menstrual cycles among high school going adolescent girls in resource limited settings around Bangalore city, Karnataka, India. *International Journal of Collaborative Research on Internal Medicine & Public Health (IJCRIMPH)*, 4(7), 1353-1362. Retrieved from <http://www.iomcworld.com/ijcrimph/files/v04-n07-03.pdf>
- Statistics South Africa (1996). *Census In Brief 1996*. (Report number 03-01-11). Retrieved from <http://www.statssa.gov.za/census01/census96/HTML/CIB/CIB1996.pdf>
- Statistics South Africa (2011). *Mid-year population estimates 2011* (Statistical release P0302). Retrieved from <http://www.statssa.gov.za/publications/P0302/P03022011.pdf2>



- Stoppard, J. (2000). *Understanding depression: Feminist social constructionist approaches*. London: Routledge.
- Stubbs, M.L. (2008). Cultural perception and practices around menarche and adolescent menstruation in the United States. *Annals of the New York Academy of Sciences*, 1135(1), 58-66. doi:10.1196/annals.1429.008
- Suls, J., Krantz, D.S., & Williams, G.C. (2013). Three strategies for bridging different levels of analysis and embracing the biopsychosocial model. *Health Psychology*, 32(5), 597- 601. doi:10.1037/a0031197
- Talja, S., Tuominen, K., & Savolainen, R. (2005). "Isms" in information science: constructivism, collectivism and constructionism. *Journal of documentation*, 61(1), 79-101. doi:10.1108/00220410510578023
- Tang, C.S., Yeung, D.Y.L., & Lee, A.M. (2004). A comparison of premenarcheal expectations and postmenarcheal experiences in Chinese early adolescents. *Journal of Early Adolescence*, 24(2), 180-195. doi:10.1177/0272431603262669
- Tavakol, M. & Dennick, R. (2011). Making sense of Cronbach's alpha. *International Journal of Medical Education*, 2, 53-55. doi:10.5116/ijme.4dfb.8dfd
- Thomas, R. (2010), *The Menstrual Cycle and Human Performance: An Overview*
- Tiwari, H., Oza, U.N., & Tiwari, R. (2006). Knowledge, attitudes and beliefs about menarche of adolescent girls in Anand district, Gujarat. *Eastern Mediterranean Health Journal*, 12(3-4), 428-433. Retrieved from http://applications.emro.who.int/emhj/1203_4/12_3-4_2006_428_433.pdf
- Umeora, O.U.J., & Egwuatu, V.E. (2008). Menstruation in rural Igbo women of South East Nigeria: Attitudes, beliefs and practices. *African Journal of Reproductive Health / La Revue Africaine De La Santé Reproductive*, 12(1), 109-115. doi:10.4314%2Fajrh.v12i1.7961
- Ussher, J.M. (1992). Research and theory related to female reproduction: Implications for clinical psychology. *British Journal of Clinical Psychology*, 31, 129-151. doi:10.1111/j.2044-8260.1992.tb00979.x
- Ussher, J.M. (2006). *Managing the monstrous feminine: The role of PMS in the subjectification of women*. Retrieved from <http://www.uvic.ca>



- White, L. (2013). The function of ethnicity, income level, and menstrual taboos in postmenarcheal adolescents' understanding of menarche and menstruation. *Sex Roles*, 68(1), 65-76. doi: 10.1007/s11199-012-0166-y
- Wister, J.A., Stubbs, M.L., & Shipman, C. (2013). Mentioning menstruation: A stereotype threat that diminishes cognition? *Sex Roles*, 68, 19-31. doi:10.1007/s11199-012-0156-0
- Wong, L., & Khoo, E. (2011). Menstrual-related attitudes and symptoms among multi-racial Asian adolescent females. *International Journal of Behavioral Medicine*, 18(3), 246- 253. doi: 10.1007/s12529-010-9091-z xi
- Yeung, D.Y.L., Tang, C.S., & Lee, A. (2005). Psychosocial and cultural factors influencing expectations of menarche: A study on Chinese premenarcheal teenage girls. *Journal of Adolescent Research*, 20(1), 118-135. doi:10.1177/0743558404271134

Author's Declaration

I as an author of the above research paper/article, hereby, declare that the content of this paper is prepared by me and if any person having copyright issue or patent or anything otherwise related to the content, I shall always be legally responsible for any issue. For the reason of invisibility of my research paper on the website/amendments /updates, I have resubmitted my paper for publication on the same date. If any data or information given by me is not correct I shall always be legally responsible. With my whole responsibility legally and formally I have intimated the publisher (Publisher) that my paper has been checked by my guide (if any) or expert to make it sure that paper is technically right and there is no unaccepted plagiarism and the entire content is genuinely mine. If any issue arise related to Plagiarism / Guide Name / Educational Qualification / Designation/Address of my university/college/institution/ Structure or Formatting/ Resubmission / Submission /Copyright / Patent/ Submission for any higher degree or Job/ Primary Data/ Secondary Data Issues, I will be solely/entirely responsible for any legal issues. I have been informed that the most of the data from the website is invisible or shuffled or vanished from the data base due to some technical fault or hacking and therefore the process of resubmission is there for the scholars/students who finds trouble in getting their paper on the website. At the time of resubmission of my paper I take all the legal and formal responsibilities, If I hide or do not submit the copy of my original documents (Aadhar/Driving License/Any Identity Proof and Address Proof and Photo) in spite of demand from the publisher then my paper may be rejected or removed from the website anytime and may not be consider for verification. I accept the fact that as the content of this paper and the resubmission legal responsibilities and reasons are only mine then the Publisher (Airo International Journal/Airo National Research Journal) is never responsible. I also declare that if publisher finds any complication or error or anything hidden or implemented otherwise, my paper may be removed from the website or the watermark of remark/actuality may be mentioned on my paper. Even if anything is found illegal publisher may also take legal action against me.

Varuni Negi
Dr Parmod Kumar Sethi